


༄༅། །འབྲུག་མི་སེར་རྒྱུ་ཚོར་གཞི་བསྐྱེད་ཚད།

DRUK HOLDING & INVESTMENTS LTD.

GROUP STANDARD BIDDING DOCUMENT

GOODS (BDS & SCC)






Contents

BID DATA SHEET..... 3

SPECIAL CONDITIONS OF CONTRACT..... 10






BID DATA SHEET

The Bid Data Sheet (BDS) contains information and provisions that are specific to a particular bidding process. The Purchaser must specify in the BDS only information that the Instructions to Bidders (ITB) request be specified in the BDS. All information shall be provided, and no clause shall be left blank. To facilitate the preparation of the BDS, its clauses are numbered with the same numbers as the corresponding ITB clauses. This guide provides information to the Purchaser on how to enter all required information, and includes a BDS format that summarizes all information to be provided.

ITB	Particulars														
1.1	The Tender No. is: BPC/PSD/2023 Materials/2022/11 dated August 13, 2022														
1.1	The Tender Name is: Supply and Delivery of Poles, Pole Fittings, Transformers, ARCB and Sectionalizer, and Fault Passage Indicator														
1.1	The Purchaser is: Procurement Services Department, Bhutan Power Corporation Limited, Yarden Lam, Post Box No. 580, Thimphu, Bhutan.														
1.1	The number and identification of Lot comprising this tender are: <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Lot No.</th> <th>Lot Title</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Poles</td> </tr> <tr> <td>2</td> <td>Pole fittings</td> </tr> <tr> <td>3</td> <td>Distribution Transformers, 11kV</td> </tr> <tr> <td>4</td> <td>Distribution Transformers, 33kV</td> </tr> <tr> <td>5</td> <td>ARCB and Sectionalizer</td> </tr> <tr> <td>6</td> <td>Fault Passage Indicator</td> </tr> </tbody> </table>	Lot No.	Lot Title	1	Poles	2	Pole fittings	3	Distribution Transformers, 11kV	4	Distribution Transformers, 33kV	5	ARCB and Sectionalizer	6	Fault Passage Indicator
Lot No.	Lot Title														
1	Poles														
2	Pole fittings														
3	Distribution Transformers, 11kV														
4	Distribution Transformers, 33kV														
5	ARCB and Sectionalizer														
6	Fault Passage Indicator														
8.2	For Bid clarification purposes, the Purchaser's address is: Attention : The General Manager Address : Procurement Services Department, Bhutan Power Corporation Limited, Yarden Lam, Post Box No. 580, Thimphu, Bhutan Telephone number: +975-2-326289 Electronic mail address: nim.dorji@bpc.bt Copy to: psd.bpc.thimphu@gmail.com / kinleygyem21@bpc.bt														
8.3	Bid Clarification request will be received on or before: Time : 17:00 hours (BST) Date : September 1, 2022 Any Bid clarification inquiry received after the last date of bid clarification will not be responded.														
8.5	A pre-bid meeting shall not take place.														




11.1	The language of bid is: English
12.1	The Bidder shall submit with its Bid the following additional documents: a) <i>Copies of valid Trade License</i> b) <i>Latest Tax Clearance Certificate</i> c) <i>Compliance to Delivery Schedule</i>
15.1	Alternative Bids/ multiple quotations for single item shall not be permitted.
16.3	The Bidder shall quote prices in DDP (Delivered Duty Paid), RSD, Pasakha, Phuentsholing (Place of destination) for all the lots as per incoterm 2020. Notwithstanding any possible misinterpretation/ambiguity in interpretation, it is explicitly clarified that the offered prices shall be all inclusive covering all costs including but not limited to transportation, insurance, taxes and duties and any other costs for delivery of the materials to the Purchaser at the designated place of delivery/destination.
16.3 (a) (iii)	The final destination is: Regional Store Divisions, Pasakha, Phuentsholing, Bhutan.
16.3 (b) i, ii, & iii	The price shall be inclusive of all taxes and duties that are applicable both inside and outside the purchaser's country.
16.5	Bids are being invited for Lot as specified in BDS Clause 38.3(a).
18.1	The prices quoted by the Bidder <i>shall not be adjustable</i> except under the circumstances specified under Clause 38.3 (e).
19.1, 19.2 and 19.3	Bid Prices shall be quoted in Ngultrum . Bid Prices expressed in Indian currency and US Dollars/major foreign currencies shall be accepted and evaluated in accordance to ITB 38. For bid evaluation purpose the exchange rate will be based on the Telegraphic Transfer (TT) selling rate published by the Royal Monetary Authority (RMA) of the Kingdom of Bhutan on the day of bid opening or the immediate preceding date as posted by the RMA. For bid expressed in Indian currency and US Dollars/major foreign currencies, payments shall be made in equivalent Ngultrum through banking channel and the responsibilities of payment transfer and transfer charges lie on the Suppliers.
20.1	Technical Specifications The minimum technical specification, wherever required, are detailed out under respective lot. Any technical deviation shall be brought out in the GTP forms for the items where GTP forms are provided and for the items where GTP forms are not provided, the deviation shall be brought out in the deviation sheet provided. If the deviations are not mentioned in GTP and deviation sheet provided, the specification shall be considered as complied with the



	<p>requirement.</p> <p>Drawings Standard Drawings which are provided in the Tender Document should be final and binding and no separate drawings shall be required to be approved. Manufacturing of the materials shall be as per the Standard Drawings provided.</p>																					
20.2	<p>Guaranteed Technical Specifications (GTPs) "is" required:</p> <table border="1"> <thead> <tr> <th>Lot No.</th> <th>Lot Title</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Poles</td> <td>Required</td> </tr> <tr> <td>2</td> <td>Pole Fittings</td> <td>Not Required</td> </tr> <tr> <td>3</td> <td>Distribution Transformers, 11kV</td> <td>Required</td> </tr> <tr> <td>4</td> <td>Distribution Transformers, 33kV</td> <td>Required</td> </tr> <tr> <td>5</td> <td>ARCB and Sectionalizer</td> <td>Required</td> </tr> <tr> <td>6</td> <td>Fault Passage Indicator</td> <td>Required</td> </tr> </tbody> </table> <p><i>The bid for that item(s)/Lot(s) shall be rejected if the GTP Forms are not duly filled up and submitted as specified under respective lot.</i></p> <p><i>The bidders are required to duly fill up the GTP forms provided in the bidding document. The catalogue/brochures of the items shall not be considered as GTP of the item. Further, if there are discrepancies between the item catalogue/brochures and the offered GTP, then GTP shall prevail.</i></p> <p>*The Bidders shall submit a copy of GTP in Microsoft Excel format as well.</p>	Lot No.	Lot Title	Remarks	1	Poles	Required	2	Pole Fittings	Not Required	3	Distribution Transformers, 11kV	Required	4	Distribution Transformers, 33kV	Required	5	ARCB and Sectionalizer	Required	6	Fault Passage Indicator	Required
Lot No.	Lot Title	Remarks																				
1	Poles	Required																				
2	Pole Fittings	Not Required																				
3	Distribution Transformers, 11kV	Required																				
4	Distribution Transformers, 33kV	Required																				
5	ARCB and Sectionalizer	Required																				
6	Fault Passage Indicator	Required																				
20.3	<p>The period of time for which the Goods are expected to be functioning (for the purpose of spare parts, special tools, etc.): <i>Not Applicable.</i></p>																					
21.1	<p>Financial Capability</p> <p>The Bidder shall furnish documentary evidence that it meets the financial requirement(s): <i>Not Applicable</i></p>																					
21.2	<p>Experience and Technical Capacity</p> <p>The Bidder shall furnish documentary evidence to demonstrate that it meets the following experience requirement(s): <i>Not Applicable</i></p>																					

21.3(a)	<p>Manufacturer's Authorization (MA) "is" required</p> <table border="1" data-bbox="468 280 1305 589"> <thead> <tr> <th>Lot No.</th> <th>Lot Title</th> <th>Remarks</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>Poles</td> <td>Required</td> </tr> <tr> <td>2</td> <td>Pole Fittings</td> <td>Required</td> </tr> <tr> <td>3</td> <td>Distribution Transformers, 11kV</td> <td>Required</td> </tr> <tr> <td>4</td> <td>Distribution Transformers, 33kV</td> <td>Required</td> </tr> <tr> <td>5</td> <td>ARCB and Sectionalizer</td> <td>Required</td> </tr> <tr> <td>6</td> <td>Fault Passage Indicators</td> <td>Required</td> </tr> </tbody> </table> <p>a) The bid for that item(s)/Lot(s) shall be rejected if the Manufacturer's Authorization is not submitted for which the Manufacturer's Authorization is required.</p> <p>b) The Bidders are to mention the brand and origin of goods in the price schedule and submit the Manufacturer's Authorization accordingly.</p> <p>c) The Bidders are to mention the brand, model and origin of goods in the price schedule and submit the Manufacturer's Authorization. Item/Lots for which brands are restricted, no alternative/substitute brand shall be accepted and shall be considered as non-responsive for that particular item/lot.</p>	Lot No.	Lot Title	Remarks	1	Poles	Required	2	Pole Fittings	Required	3	Distribution Transformers, 11kV	Required	4	Distribution Transformers, 33kV	Required	5	ARCB and Sectionalizer	Required	6	Fault Passage Indicators	Required
Lot No.	Lot Title	Remarks																				
1	Poles	Required																				
2	Pole Fittings	Required																				
3	Distribution Transformers, 11kV	Required																				
4	Distribution Transformers, 33kV	Required																				
5	ARCB and Sectionalizer	Required																				
6	Fault Passage Indicators	Required																				
21.3 (b)	<p>After sales maintenance, repair, spare parts stocking and related services: are not Required, and the Bidder therefore is not required to be represented by a suitably equipped and able agent in Bhutan.</p>																					
21.3 (c)	<p>Joint Venture, Consortium (JV/C) Bids are NOT permitted.</p>																					
22.1	<p>The Bid validity period shall be 90 days from the last date of bid submission i.e., up to December 7, 2022.</p>																					
23.1	<p>The Bidder shall furnish Bid Security in the amount and currencies shown below in favour of Director, FAS, BPC:</p> <table border="1" data-bbox="440 1440 1315 1711"> <thead> <tr> <th>Lot Description</th> <th>EMD (Nu.)</th> </tr> </thead> <tbody> <tr> <td>Lot 1: Poles</td> <td>1,522,000.00</td> </tr> <tr> <td>Lot 2: Pole Fittings</td> <td>669,000.00</td> </tr> <tr> <td>Lot 3: Distribution Transformers, 11kV</td> <td>1,052,000.00</td> </tr> <tr> <td>Lot 4: Distribution Transformers, 33kV</td> <td>1,174,000.00</td> </tr> <tr> <td>Lot 5: ARCB & Sectionalizer</td> <td>123,000.00</td> </tr> <tr> <td>Lot 6: Fault Passage Indicator</td> <td>24,000.00</td> </tr> </tbody> </table> <p>Preferably Bid Security should be submitted for the individual lots. Combined Bid Security would be also accepted. However, if the combined Bid Security is not sufficient in terms of total amount, the offer for the entire quoted lots would be treated as non-responsive as per ITB 22.4 and not considered for further evaluation.</p>	Lot Description	EMD (Nu.)	Lot 1: Poles	1,522,000.00	Lot 2: Pole Fittings	669,000.00	Lot 3: Distribution Transformers, 11kV	1,052,000.00	Lot 4: Distribution Transformers, 33kV	1,174,000.00	Lot 5: ARCB & Sectionalizer	123,000.00	Lot 6: Fault Passage Indicator	24,000.00							
Lot Description	EMD (Nu.)																					
Lot 1: Poles	1,522,000.00																					
Lot 2: Pole Fittings	669,000.00																					
Lot 3: Distribution Transformers, 11kV	1,052,000.00																					
Lot 4: Distribution Transformers, 33kV	1,174,000.00																					
Lot 5: ARCB & Sectionalizer	123,000.00																					
Lot 6: Fault Passage Indicator	24,000.00																					

	For e-bids, bidders shall submit the Bid Security in original form to Procurement Service Departments (PSD), Head Office/ Regional Store Division (RSD), Phuentsholing/RSD Gelephu on or before the deadline for the submission of bids and also upload the scan copy of bid security in the www.tender.bt .
24.1 & 25.1	In addition to the original Bid, the number of copies is: Nil
25.2(b)	For bid submission purposes only, the Purchaser's address is: Attention: <i>The General Manager</i> Address: <i>Procurement Services Department, Bhutan Power Corporation Limited, Yarden Lam,</i> Post Box No. 580, Thimphu, Bhutan.
25.3	Mode of Tendering for this tender is Single Stage-Single Envelope process.
25.8	Bidders are required to submit e-Bids through e-procurement website: www.tender.bt Bidders have to visit the website for vendor registration if the vendor has not registered if the vendor has not registered in the e-procurement platform and submit the Bid <i>online</i> . The user manual for vendor registration and bidding process is available under Downloads on the website. For the ease of evaluation, the Bidders are requested to please use proper file names when uploading your documents and give brief descriptions under the Remarks section wherever possible.
26.1	The deadline for the submission of Bid is: September 8, 2022 at 13:00 Hours, BST.
29.1	The Bid Opening shall take place at: Address: Conference Hall, Head Office, BPC, Thimphu Date : September 8, 2022 Time : 14:15 Hours, BST Venue : BPC Conference Hall
37.1	A margin of five percent (5%) Domestic Preference <i>shall not apply.</i>
38.3 (a)	Evaluation will be done for: Lot wise



Lot No.	Lot Title	Mode of Evaluation
1	Poles	Lot wise
2	Pole Fittings	Lot wise
3	Distribution Transformers, 11kV	Lot wise
4	Distribution Transformers, 33kV	Lot wise
5	ARCB and Sectionalizer	Lot wise
6	Fault Passage Indicators	Lot wise

a) A lot/item with an alternative item price shall be rejected and that lot/item shall not be considered for further evaluation.

b) In case some items are not quoted for a particular lot, the corporation reserves the right to cost load the highest responsive rate of other bidders for the purpose of evaluation of that lot if it was determined that the non-quoted items are not a major component of the lot or do not form an integral element of the lot. Actual order shall however be done based on the lowest rate that has been quoted in that bid package

The adjustments shall be determined using the following criteria:

(a) Deviation in Delivery schedule: Yes

No credit will be given to earlier delivery but Bids offering late delivery schedules (LDS) will be accepted but the Bids shall be adjusted for the purpose of the bid evaluation only adding at the rate of @one (1) per cent of the bid price for each week of delay to the bid price. Bids offering delivery schedules beyond 1 (one) month of the delivery period shall be rejected.


38.3(e) (b) Deviation in payment schedule: No

(c) The cost of major replacement components, mandatory spare parts, and service: No


(d) The availability in Bhutan of spare parts and after-sales services for the equipment offered in the Bid : No

(e) The projected operating and maintenance costs during the life of the equipment: No

(f) The performance and productivity of the equipment offered: No.



38.6	Bidders shall be allowed to quote prices for one or more lots.
44.2 & 45.1	The successful Bidder shall submit the performance security and sign the Contract within fifteen (15) days after the issuance of the Notification of Award.




SPECIAL CONDITIONS OF CONTRACT


The following Special Conditions of Contract (SCC) shall supplement and/or amend the General Conditions of Contract (GCC). Whenever there is a conflict, the provisions herein shall prevail	
Reference to the GCC is made as under:	
1.1 (xviii)	Final Destination(s) is: Malbase, Pasakha, Regional Store Division, Phuentsholing, Bhutan. The Consignee is : The Chief Manager, Regional Store Division, Bhutan Power Corporation Limited, Phuentsholing, Bhutan Email: phuntshowang@bpc.bt Contact No: 17757404
1.1 (xvix)	The Purchaser is: Procurement Services Department, Bhutan Power Corporation Limited, Yarden Lam, Post Box No. 580, Thimphu, Bhutan.
3.5 (a)	The meaning of the trade terms shall be as prescribed by Incoterms. If the meaning of any trade term and the rights and obligations of the parties there under shall not be as prescribed by Incoterms, they shall be as prescribed by: <i>Not Applicable</i>
3.5(b)	The term EXW, CIF, DIP, DDP and other similar terms shall be as per the version of Incoterms 2020
5.1	The language shall be: "English". Supporting documents and printed literature that are part of the Contract may be in another language provided they are accompanied by a notarised and an accurate translation of the relevant passages in English.
7.1	For notices, the addresses shall be: For the Purchaser: Attention : The General Manager Address : Procurement Services Department Bhutan Power Corporation Limited Thimphu, Bhutan Telephone : 00975-2-326289/336046 E-mail address : nim.dorji@bpc.bt Copy to : kinleygyem21@bpc.bt / psd.bpc.thimphu@gmail.com



9	The rules of procedure for arbitration proceedings pursuant to GCC Sub-Clause 9.2 shall be as per the Alternative Dispute Resolution Act of Bhutan 2013.
13.2	The prices charged for the goods supplied and the related services performed "shall not" be adjustable
14.1	<p>Terms of Payment</p> <p>Payments shall be made in equivalent Ngultrum to the currency quoted amount but the payment shall be made through proper banking channels and the responsibilities of payment transfer and transfer charges lie on the Suppliers.</p> <p>Undertaking letter from routing of payment through the Banks (if the payment is not through Letter of Credit) shall not be issued.</p> <p>Advance Payment: Maximum of twenty percent (20%) of the Contract Price as advance payment shall be paid after the signing of the Contract. Payment shall be made provided the Supplier presents a request for payment accompanied by an Advance Payment Security in the form of Bank Guarantee issued by a reputable financial institution acceptable to the purchaser for an amount equal to the amount of the advance payment, and shall be valid until the goods are delivered.</p> <p>On Acceptance: Seventy percent (70%) of the goods received shall be paid within Thirty (30) days of receipt of the goods upon the submission of a claim supported by the Acceptance Certificate issued by the Purchaser.</p> <p>Retention Payment: Ten percent (10%) of the Contract Price will be payable after the expiry of defects liability period (for a period not exceeding twelve months after the delivery of all materials). However, payment shall be made provided the Supplier presents a request for payment accompanied by a Retention Security in the form of Bank Guarantee issued by a reputable financial institution acceptable to the purchaser for an amount equal to the amount of retention payment and shall be valid for a period not less than twelve (12) months after delivery of all materials.</p> <p>If the Financial institution issuing the advance payment bank guarantee/retention security bank guarantee furnished by the Bidder is located outside the Purchaser's country, the bank guarantee shall be counter guaranteed by a correspondent financial institution located in the Purchaser's country to make it enforceable.</p>
15.3	Tax Deducted at Source (TDS) shall be deducted as per the regulations of Ministry of Finance, RGoB, Bhutan.
16.1	The amount of the Performance Security shall be: Ten percent (10%) of contract value



16.3	<p>The types of acceptable Performance Securities are:</p> <p>(i) <i>Unconditional bank guarantee issued by a reputable financial institution acceptable to any banks in Bhutan, in the form provided for in the Contract or in any other form acceptable</i></p> <p>(ii) <i>Cash warrant,</i></p> <p>(iii) <i>Demand Draft, or</i></p> <p>(iv) <i>Bank Transfers</i></p> <p>If the institution issuing the Performance Security furnished by the Bidder is located outside the Purchaser's country, the Performance Security shall be counter guaranteed by a correspondent financial institutions located in the Purchaser's country to make it enforceable.</p>
20.1	<p>Details of Shipping and other Documents to be furnished by the Supplier are:</p> <p>(i) <i>Copies of the Supplier's invoice showing Goods description, quantity, unit price, and total amount;</i></p> <p>(ii) <i>Suppliers Good Issues Note (Challan);</i></p> <p>(iii) <i>Copy of import declaration form (B-Form) in Bhutan;</i></p> <p>(iv) <i>Original tax paid receipt in Bhutan.</i></p> <p>(v) <i>Manufacturer's or Supplier's warranty certificate;</i></p> <p>(vi) <i>Packing List;</i></p> <p>(vii) <i>Inspection report/Test Certificate</i></p>
22.2	<p>Subcontracting shall be "not allowed"</p>
25.1	<p>The inspections and tests shall be: <i>Applicable</i></p> <p>All materials shall be inspected and tested as specified in the relevant IEC or BS or IS standards. The supplier must notify the purchaser in writing within twenty (20) days in advance once the goods are fully manufactured and ready for dispatch. This should be notified to purchaser at the following address:</p> <p>Attention : The General Manager Address : Procurement Services Department Bhutan Power Corporation Limited Thimphu: Bhutan</p> <p>Telephone : 00975-2-336046/326289 E-mail address : nim.dorji@bpc.bt Copy to : kinleygyem21@bpc.bt / psd.bpc.thimphu@gmail.com</p> <p>The period indicated is for deputing an inspector and has no connection with the stipulated delivery schedule. If the delay in the delivery of all or part of materials has been caused due to delay beyond the maximum allowable period in nominating inspectors by the purchaser after the inspection call has been received in writing by the purchaser, the delivery period shall be extended by the period equivalent to such delay in sending inspectors by the purchaser for the</p>



	<p>whole or part of the materials.</p> <p>To ensure that the goods are delivered in good condition, purchaser may call suppliers/supplier's representatives to be present for the joint inspection of the goods at the BPC warehouse and sign the joint inspection report.</p>
25.2	Inspections and tests shall be conducted at: <i>Manufacturer's premises</i>
26.2	<p>The packing, marking and documentation within and outside the packages shall be:</p> <p>The Supplier shall provide packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as per the Contract. The packing shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.</p> <p>The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified under Common Technical Requirements and in any subsequent instructions ordered by the Purchaser.</p>
27.1	Responsibility for transportation of the Goods shall be as specified in the Incoterms 2020. However, unloading of the materials at RSD, BPC, Pasakha shall be under the scope of the supplier. The RSD shall issue the certificate upon acceptance of the Goods in good condition.
28.3	<p>The period of validity of the Warranty shall be: Twelve (12) months from the date of acceptance of goods at the place of destination, Regional Store Division, Pasakha/Malbase, PSD, BPC, Phuentsholing, Bhutan.</p> <p>As a proof of performance warranty, the supplier have to deposit 10% of the supplied value in the form of Bank Guarantee acceptable to the Purchaser which shall be valid for a period not less than twelve (12) months after delivery of last consignment.</p> <p style="text-align: center;">Or</p> <p>As a proof of performance warranty, the purchaser will not release the 10% retention money to cover the defects liability period which shall be minimum of twelve months after the delivery of the last consignment. However, the payment for the retention amount shall be made provided the Supplier presents request for payment accompanied by a Retention Security in the form of Bank Guarantee issued by a reputable financial institution acceptable to the purchaser for an amount equal to the amount of retention payment and the validity of the Bank</p>

	<p>Guarantee shall be not less than twelve (12) months after the delivery of last consignment.</p> <p><i>If the Financial institution issuing the performance warranty bank guarantee/retention security bank guarantee furnished by the Bidder is located outside the Purchaser's country, the bank guarantee shall be counter guaranteed by a correspondent financial institution located in the Purchaser's country to make it enforceable.</i></p>
28.4 & 28.5	The period for repair or replacement shall be: Three Months from the day of notification
29.1	<p>The applicable rate for liquidated damages for delay shall be: 1% per week.</p> <p>The maximum amount of liquidated damages shall be: <i>10% of the contract price</i></p>
31.1	The Goods supplied under the contract shall be fully insured, in a freely convertible currency from an eligible country, against loss or damage incidental to manufacturer or acquisition, transportation, storage and delivered in good condition at the final destination.

