Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
1	МСВ	63A TP Type C	Havells/Schneider/ Legrand/HPL	Nos	153			Required	CU01		
2	МСВ	TPN, Type C, 63 A	Havells/Schneider/ Legrand/HPL	Nos	110			Required	CU01		
3	LT unarmoured Cable	1Core 16sqmm multi strand Copper Cable Insulation colour: Red, Yellow & Blue (1roll each)	KEI/HPL/RR Kabel	rolls	3			Required	CU01		
4	Auto switch DOL starter	Model: Sz5 Controller	L&T Electricals & Automations	Nos	8			Required	CU01		
5	Power Contactor	Rating: Coil (415V AC), 3 pole, 12A (AC3), Aux Contact (1 NO) Model: C&S RobustTa, TC1-D1201	C&S Electric, India	Nos	2			Required	CU01		
6	Power Contactor	Rating: Coil (415V AC), 3 pole, 22A (AC3), Aux Contact (1 NO) Model: C&S RobustTa, TC1-D2201	C&S Electric, India	Nos	1			Required	CU01		
7	МСВ	Triple pole, Type C, 6A	L&T/ Havells/ Schneider/ HPL	Nos	1			Required	CU01		
8	МСВ	Rating: Triple pole, Type C, 20A	L&T/ Havells/ Schneider/ HPL	Nos	1			Required	CU01		
9	LT MCCB	Triple Pole, 1250A Model: NXM- 1250S/3300T	CHINT India Energy Solution Private Limited	Nos	2			Required	CU01		
10	LT MCCB	Rating: Triple Pole, 630A, Model: NXM-630S/3300	CHINT India Energy Solution Private Limited	Nos	1			Required	CU01		
11	Switched-mode power supplies (SMPS)	Input: AC 220V, Output: DC 24V 24VDC 5Amp, Model: TPS120-24	Selec	Nos	2			Required	CU01		
12	Cylindrical type fuse link	Rating: 32Amps, Model: SF90142	L&T Elec & Automation, India	Nos	10			Required	CU01		
13	Motor Protection Circuit Breaker	Rating: 3pole, 1.6-2.5A, Model: NS2-2	CHINT India Energy Solution Private Limited	Nos	5			Required	CU01		
14	Surge Protective Device	Type: 3phase 4pole, Rating: 320V (Uc), 20kA (In), 40kA (Imax) & Up \leq 2kV, Model: SE-C40	SIBASS Electric	Nos	3			Required	CU01		
15	LT MCCB	Rating: Triple pole, 1250A, Model: CDM3-1250H/3300	Delixi Electric Ltd, China	Nos	1			Required	CU01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
16	Aluminum Butyl Tape	Super Strong Adhesive, Outdoor type Waterproof ,Suitable for Roof Leak, surface Crack, Window seal gap, universal Metal , Dimension: 5CM, 5MT	Voltonix	Nos	5			Required	CU01		
17	Heat shrink termination kit	Type: Outdoor, Rating: 33kV, 1 core 630sqmm	Raychem/3M/ COMPAQ	Nos	2			Required	CU01		
18	Cable	1C 2.5sqmm copper cable (1 roll = 90m)	Havells/KEI	rolls	9			Required	CU01		
19	Aluminium Laminated Flexibles Bus dust to LTDB IC	Size: 152.4x400x6.5mm	Torison Industries, Mumbai	Nos	112			Required	CU01		
20	Aluminium Laminated Flexibles Transformer LV palm connector to Bus dust	Size: 152.4x400x25.5/26.5mm	Torison Industries, Mumbai	Nos	28			Required	CU01		
21	Aluminium Laminated connectors	For interconnection inside bus dust Size: 150x550x6mm	Torison Industries, Mumbai	Nos	63			Required	CU01		
22	Adjustable wrench	14 inch	Taparia	Nos	3			Required	CU01		
23	Pipe wrench	14 inch	Taparia	Nos	1			Required	CU01		
24	Bit Screwdriver Set	Model: Bds 125	Taparia	Nos	5			Required	CU01		
25	Self drill screw		Reputed brand	Box	13			Required	CU01		
26	Motor	Pressure 150 bar	Total	Nos	3			Required	CU01		
27	Plastic Container		Reputed brand	Nos	3			Required	CU01		
28	Dual hand Lens with Light	3X & 45X dual lens	Reputed brand	Nos	3			Required	CU01		
29	T-Handle Hex Allen Keys Set	(1.5mm to 10mm) Model:TAKM9	Taparia	Nos	1			Required	CU01		
30	Pass Through Socket Set containing Pass Through Socket Set:	Socket set (10 - 24mm), 1/2 or 3/8 Inch Drive Impact Master Socket Set, Socket Adaptor, Wrench Socket Set, Go Through Reversing Ratchet, Deep Socket Set, Go Through Extension bar, Model: JEUS109	JEUCLEL	Nos	1			Required	CU01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
31	Rust Penetrant Lubricant with Spray Pipe	Model: RPLPlus_400ml	3M India Limited	Nos	3			Required	CU01		
32	HDPE pipe	25mm	Reputed brand	Meters	400			Required	CU01		
33	GI Unions	25mm HDPE pipe	Reputed brand	Nos	8			Required	CU01		
34	GI Unions	20mm HDPE pipe	Reputed brand	Nos	8			Required	CU01		
35	GI T Junction	25mm HDPE pipe	Reputed brand	Nos	6			Required	CU01		
36	GI T Junction	20mm HDPE pipe	Reputed brand	Nos	6			Required	CU01		
37	Gate Valve	25mm HDPE pipe	Reputed brand	Nos	4			Required	CU01		
38	Gate Valve	20mm HDPE pipe	Reputed brand	Nos	4			Required	CU01		
39	Reducer	40mm to 25mm	Reputed brand	Nos	1			Required	CU01		
40	Reducer	25mm to 20mm	Reputed brand	Nos	10			Required	CU01		
41	Taflon tape			Nos	10			Required	CU01		
42	Cable	5Cx16 sq. mm cable, 500m	Reputed brand	Roll	1			Required	DC01		
43	Cable	4Cx2.5sq mm, 90m	Reputed brand	Roll	1			Required	DC01		
44	Cable	1Cx 2sq mm cable, 500m	Reputed brand	Roll	1			Required	DC01		
45	Thimble Ring Type	Lux (16sq.mm), 100/Pkt	Reputed brand	Pkts	1			Required	DC01		
46	Thimble Pin Type	Lux (16sq.mm), 100/Pkt	Reputed brand	Pkts	1			Required	DC01		
47	Gasket & O'ring	Inner dia 55mm	NU-cork	Set	36			Required	DC01		
48	Red Grease		Reputed brand	Kg	1			Required	DC01		
49	MCB	6A, SP MCB	L&T/ Havells/ Schneider/ HPL	Nos	1			Required	DC01		
50	Extension Roll (xxm) 16A (Drum type)	16A (Drum type)		Nos	1			Required	DC01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
51	LED Tubelights	20 watt, Havells make, length: 1.1 meters.	Havells	Nos	160			Required	DC01		
52	Metal Drill bit	Size(dia.):2mm,3mm,4mm,6mm,8mm,10mm,12mm	Bosch	Set	1			Required	DC01		
53	5 pin Socket	16 Amps, heavy duty	legrand	Nos	24			Required	DC01		
54	1 way Switch	16 Amps, heavy duty	legrand	Nos	24			Required	DC01		
55	Concrete Drill bit	Size(dia.):2mm,3mm,4mm,6mm,8mm,10mm,12mm	Bosch	Set	1			Required	DC01		
56	TP 63A	63A TP MCB 10kA C Curve Rated Voltage: 415VAC Rated Current: 63A Mounting Type:Plug-In Mount Number Of Poles: 3	Siemens	Nos	300			Required	DP01		ſ
57	TP 83A	80A TP MCB 10kA C Curve Rated Voltage: 415VAC Rated Current: 80A Mounting Type:Plug-In Mount Number Of Poles: 3	Siemens	Nos	500			Required	DP01		
58	Silica gel	Silica gel. Small porous (1kg)	YOGYA	kg	50			Required	DP01		
59	HT tape	For electrical insulation	Reputed Brand	Roll	12			Required	DP01		1
60	МССВ	4Pole, 400A	Havells	Nos	3			Required	DP01		
61	33 KV Indoor Type cable termination kit	(3c 150 sq mm) RMU end	RAYCHEM	Set	1			Required	DP01		
62	33KV outdoor cable termination kit	(1c 630 sqmm) at A2 end	RAYCHEM	Set	3			Required	DP01		
63	Straight through jointing kit	Type Outdoor cold shrinkable Voltage MV (33 kV E)), Size 1C*630 sq mm XLPE, Al. Cable, Make Raychem or 3M or Compaq	RAYCHEM	Set	3			Required	DP01		
64	Transformer oil	Mineral Insulating Oil, 209L	POWEROIL	Barrel	5			Required	DP01		
65	Copper Lugs(Thimble)	Straight through tinned copper lugs, 16sq.mm	Siemens	Nos	150			Required	DP01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
66	LED Lamp:	MG GOLD 100 Watt, Ultra thin slim, ip66 LED fload outdoor light cool white water proof	MG GOLD	Nos	2			Required	DP01		
67	Universal Tool kit sets	Product code: 1001, adjustable spanner 1171c.p, insulated plier, 1621-8j, s.d set 812 s.d 932 and 839, 1005:screw driver set 802, insulated plier 1621-6j, adjustable spanner(p.f)1170-6	Taparia	Nos	10			Required	DP01		
68	Neon Tester	Tip size(BxX),3.3x0.5, length: 125mm.	Taparia	Nos	10			Required	DP01		
69	Rechagable 9VDC Battery with one Charger: 9V DC, 250mAh	Rechagable 9VDC Battery with one Charger: 9V DC, 250mAh	Camelion	Nos	4			Required	DP01		
70	Heavy Duty Extension Cable reel	Heavy Duty Extension Cable reel with 6 x 16 A Socket and 63A TPN MCB switch, cable size: 2.5mm cable length 30 m, 230 VAC.	Reputed Brand	Nos	1			Required	DP01		
71	Heavy Duty Insulated Screw Driver	Tip size(BxX), 6.0x0.8, Length: 336 mm	Taparia	Nos	4			Required	DP01		
72	Heat resistant sleeve	Size: 2.5mm, Colour: Red Packing: 1 Box have 13roll of 200 meters, Total 2600 Meters	Woer	Meter	120			Required	DP01		
73	gypsum screw	Stainless steel countersunk head self drilling screw: 1 inch applicable for baffle	Reputed brand	Box	12			Required	DP01		
74	Sledge Hammer with handle(1 kg)	1 Kg carbon steel with wooden handle	Reputed Brand	Nos.	1			Required	DP01		
75	Rustolene	Liquid Rustolene Rust Cleaner, For Industrial Use	Reputed brand	Litre	100			Required	SA01		
76	CRC 2-26	CRC 2-26	Reputed brand	Nos	41			Required	SA01		
77	Red grease	SHC-100	Reputed brand	Nos	10			Required	SA01		
78	Silicone sealent		Reputed brand	Nos	20			Required	SA01		
79	HT handgloves	33kV	Reputed brand	Pair	3			Required	SA01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
80	Welding rod		Reputed brand	Kg	5			Required	SA01		
81	LV handgloves	415V	Reputed brand	Pair	5			Required	SA01		
82	Oil resistant gloves	(LANON Nitrile Chemical Resistant Gloves, Reusable Heavy Duty Safety Work Gloves, Acid, Alkali and Oil Protection, 18' Length, Non-slip, Large)	Reputed brand	Pair	50			Required	SA01		
83	Gasket & O'ring (inner dia 55mm, NU-cork)	Inner dia 55mm	NU-cork	Set	130			Required	SA01		
84	Plug-in relay (RMU)	24VDC, MY4N-GS, 14 PIN	Reputed brand	Nos	10			Required	SA01		
85	Oil pump		Reputed brand	Nos	1			Required	SA01		
86	Transformer oil filtration hose pipe	10m with flange at both end	Reputed brand	Nos.	1			Required	SA01	<u>link</u>	
87	Vaccum pump oil		Reputed brand	Ltrs.	10			Required	SA01		
88	Emery/sand paper	90 grade	Reputed brand	Nos	120			Required	SA01		
89	RMU bus coupler end adapter with accessories		Reputed brand	Set	1			Required	SA01		
90	RMU bus coupler cross adapter with accessoriries		Reputed brand	Set	1			Required	SA01		
91	Transformer oil (Power oil)	Mineral Insulating Oil, 209L	POWEROIL	Drum	10			Required	SA01		
92	Discharge earthing stick	Discharge earthing stick,make Hoheywell,extentabe upto 10metre	Reputed brand	Nos	1			Required	SA01	<u>Link</u>	
93	SS Nut and Bolt	(M12, 150mm)	Reputed brand	Nos	384			Required	SA01		
94	Battery Charger	(PS 2410N-6K,Input-230VAC,Out put-24VDC,Max load-10AMP).	Reputed brand	Nos	10			Required	SA01		
95	Manual Change Over Switch	(100A, 4P knife change over, 415VAC.IP 65.)(Picture attached at side)	Reputed brand	Nos	1			Required	SA01		
96	Cooling exhaust fan (LTDB)	Model:22A230HSAC,50W,230VAC,0.32A, 2300RPM,50HZ	Hicool	Nos	30			Required	SA01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
97	Screw Driver(Heavy duty)	Screw Driver(Heavy duty) 30cmx10cmx4cm (flat)	Taparia	Nos	5			Required	SA01	<u>Link</u>	
98	Screw Driver(Heavy duty)	Screw Driver(Heavy duty) 27cmx10cmx4cm (plus)	Taparia	Nos	5			Required	SA01	<u>Link</u>	
99	Spring Charging Motor with gear attached (RMU)	ZYJ Permanent Magnet Motor,24VDC,3.6A,38.5W,Torque:24.5N. m,Speed:14.5r/min, Type:AMT150463-06 (A34904R01)	Reputed brand	Nos	5			Required	SA01		
100	Electrical Insulation rubber mat (upto 33kV)	Electrical Insulation rubber mat (upto 33kV),thickness 6mm,width 1.5m,lenth 50metre	Reputed brand	Rolls	1			Required	SA01	<u>Link</u>	
101	ABN Hollow Punch Kit - Leather and Gasket Punch Set Togo	ABN Hollow Punch Kit - Leather and Gasket Punch Set Togo	Reputed brand	Nos	1			Required	SA01	<u>Link</u>	
102	Transformer Cork Rubber Gasket	Transformer Cork Rubber Gasket,thickness 8mm,width 1metre,length 30metre	Reputed brand	Metre Square	10			Required	SA01	<u>Link</u>	
103	Belzona 1212	Belzona 1212	Reputed brand	Kg	15			Required	SA01	<u>Link</u>	
104	Spirit (Liquid for cleaning purpose)	Spirit (Liquid for cleaning purpose) isoprobyle alchohol	Reputed brand	ltrs	1			Required	SA01	<u>Link</u>	
105	Tools kits	all in one set	Stanley	Set	20			Required	SA01		
106	Gypsum screw	1" 4box,1.5"4 box and 2"4 box	Reputed brand	Box	12			Required	SA01		
107	Spanner set (ring & Doe)	Spanner set (ring & Doe) 26 piece combinaiton wrench set.	Stanley	Set	2			Required	SA01	<u>Link</u>	
108	Pliers	combination plier 8"	Stanley	Nos	20			Required	SA01		
109	Wire strippers		Reputed brand	Nos	16			Required	SA01	<u>Link</u>	
110	Drill bit		Stanley	Set	6			Required	SA01		
111	Grinder blades		Nilson	Pkt	10			Required	SA01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
112	Digital Vernier Caliper	Digital Vernier Caliper	Mitutoyo	Nos	2			Required	SA01		
113	Marking clothes	plain making cloth	Reputed brand	Piece	50			Required	SA01		
114	Triangle file set	19 picece Triangle file set (stanley)	Stanley	Set	2			Required	SA01		
115	Tape set		Stanley	Set	2			Required	SA01		
116	Cordless Impact wrench	Cordless impact wrech set with Tite- Reach Wrench Extender(Details provided in the link)	Reputed brand	Nos	4			Required	SA01	Link	
117	Measuring Tape	30M	Reputed brand	Nos	2			Required	SA01		
118	Adjustable wrench	Adjustable wrench 300mm (stanley)	Stanley	Nos	4			Required	SA01	<u>Link</u>	
119	Brass hammer	Brass hammer 3kg	Reputed brand	Nos	3			Required	SA01	<u>Link</u>	
120	Welding sheild Glass		Reputed brand	Nos	1			Required	SA01	<u>Link</u>	
121	Side Cutting Plier	STAINLEY	Taparia or Equivalent	Nos	12			Required	SA01	<u>Link</u>	
122	TPN 16A		Havells	Nos	3			Required	GD0 1		
123	TPN 10A		Havells	Nos	2			Required	GD0 1		
124	HT insulation tape	11-33KV	Reputed brand	Nos	5			Required	GD0 1		
125	Silica Gel		Reputed brand	Kg	35			Required	GD0 1		
126	Digital Ammeter (DPM I100 Secure)		Secure	Nos	12			Required	GD0 1		
127	LTDV Panel Fan (HICOOL Compact fan AC (220mm X 220mmX 60mm) Square Frame)		HICOOL	Nos	48			Required	GD0 1		
128	DP MCB 16A	Double Pole MCB	Havells	Nos	2			Required	GD0 1		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
129	SP MCB C10	Single Pole MCB	HAVELLS	Nos	3			Required	GD0 1		
130	LED tube light for panel (5W, 30.5cm, 500lumen, HAVELLS)		HAVELLS	Nos	20			Required	GD0 1		
131	Digital Voltmeter (DPM V100 Secure)		Secure	Nos	24			Required	GD0 1		
132	OTI Meter (Temperature Range: 0/150)	Transformer Oil Temperature Monitoring meter Model 1005A, <u>SR.No</u> . P2202053.22	PRECIMASURE	Nos	1			Required	GD0 1		
133	WTI meter (Temperature Range: 0/150)	Transformer Winding Temperature Monitoring meter Model 1005A, SR.No. P2203163.15	PRECIMASURE	Nos	1			Required	GD0 1	<u>Link</u>	
134	Contactor (CHINT NC8- 12 12A, Coil Voltage: 220V AC, 50/60Hz)	Electrically controlled switch used to manage high-power circuits, commonly employed in industrial applications to control motors, lighting, and other electrical loads	CHINT/ABB/Sch nider/Siemens	Nos	10			Required	GD0 1	<u>Link</u>	
135	Transformer oil cup	Model-DOT-2 GEL, QTY-500 Grms	YOGA	Nos	5			Required	GD0 1		
136	MFM meter (Elite 300)	Panel meter designed for accurate and reliable true-RMS measurement of electrical parameters like voltage, current, power, and frequency.	Secure	Nos	20			Required	GD0 1	<u>Link</u>	
137	MPCB(CHINT, 17A to 23A, Coil Voltage: 220V AC, 50Hz)	specialized device designed to protect electric motors from electrical faults like overloads, short circuits, and phase loss.	CHINT	Nos	2			Required	GD0 1	<u>Link</u>	
138	3 Phase 100A Din rail adjustable Over Under Voltage current limit protection Relay Protector SYN ASYNC Synchronous Asynchronous	Provides protection to the load against under voltage, over voltage, over current, phase lose, 3 phases unbalance	TOMZON/LVSE DTAL	Nos	5			Required	GD0 1	<u>Link</u>	



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
139	3 Phase 100A Din rail adjustable Over Under Voltage current limit protection Relay Protector SYN ASYNC Synchronous Asynchronous	Provides protection to the load against under voltage, over voltage, over current, phase lose, 3 phases unbalance	TOMZON/LVSE DTAL	Nos	5			Required	GD0 1	Link	
140	TOMZN TOVPD1-63B 63A Din Rail 230V Adjustable Over Under Voltage Protective Device Protector Relay Monitor Current Limit 3P 54m	Provides protection to the load against under voltage, over voltage, over current, phase lose, 3 phases unbalance.	TOMZON	Nos	5			Required	GD0 1	Link	
141	KUT 50 Elmex Terminal Block Feed Through 1000 V / 150 A / 50 sq mm / 3 Nm	Used for cable connection coming from different area, required for Hydro Container.	Reputed brand	Nos	20			Required	GD0 1	<u>Link</u>	
142	Pack of Heat Shrink Sleeve	1.5mm, 2mm, 3mm, 4mm, 5mm, 6mm,8mm, 10mm, 16mm, 20mm) - Black - (10 types)	Reputed brand	Pack	3			Required	GD0 1	<u>Link</u>	
143	Heavy duty screw driver set		Taparia/Stanley/To tal	Nos	2			Required	GD0 1		
144	Electronic component box	OriGlam 24 Compartment Electronic Component Storage Box Case, SMD SMT Case, Electronic Boxes	Reputed brand	Nos	2			Required	GD0 1	<u>Link</u>	
145	Vaccum Sucker		Reputed brand	Nos	2			Required	GD0 1		
146	Dual hand Lens with Light	Magnifying Glass with Light 6X 9X15X Combined Illuminated Magnifier 6 LED/ 2 Purple Lighted Magnifier with Dual- Lens, Detachable Handheld Magnifying Glass For Seniors Read, Stamps, Map, Inspection.	Reputed brand	Nos	2			Required	GD0 1	Link	



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
147	Wire Striper Cutter Stripper Crimper Pliers	MOSHTU Automatic Wire Striper Cutter Stripper Crimper Pliers for Cable 10-24 AWG Automatic Wire Striper Cutter Stripper Crimper Pliers for Cable 10-24 AWG Wire Cutter	MOSHTU	Nos	1			Required	GD0 1	Link	
148	Metal Octagonal Chisel	For Industrial, Length : 15-30mm	Any brand	Nos	1			Required	GD0 1		
149	Digital PH meter	0-14 PH	AMPEREUS	Nos	1			Required	GD0 1		
150	Digital Ammeter (DPM I100 Secure)	Ac Single Phase Single Line Led I100 Secure Digital Ampere Meter, Dimension: 96 X 96 mm, Model Name/Number: Dam	SECURE	Nos	25			Required	GD0 1	<u>Link</u>	
151	Copper Cable Lugs Kit (Ring Type)	100 PCS Tinned Copper Cable Lug Kit SC Bare Ring Terminal Lugs Sealed Battery Wire Connector Bare Cable Crimp Welding	Reputed brand	Pack	5			Required	GD0 1	Link	
152	Copper Cable Lugs Kit (Fork Type)	250pcs Non-Insulated Fork Terminals, Copper Fork Wire Connectors Terminals, AWG 22-16 16-14 14-12 12-10 Crimp End Tin-Plated Wire Lugs Battery Cable Terminal	Reputed brand	Pack	5			Required	GD0 1	Link	
153	Copper Cable Lugs Kit (Pin Type)	Electricka 85Pcs Copper Wire Lugs 1 2.5 4 6 10 16 sq mm with Insulated Wire Ferrules, 60Pcs Battery Cable Lugs Battery Cable Ends Pin Terminals Connectors with 25Pcs Ferrule Assortment Kit	Reputed brand	Pack	5			Required	GD0 1	Link	
154	MCB Channel Din Rail	Made from galvanized iron (G.I).	Reputed brand	Nos	5			Required	GD0 1	<u>Link</u>	
155	Digital Voltmeter	Secure 100A DPM V100 Single Phase Volt Meter	Reputed brand	Nos	25			Required	GD0 1	Link	
156	SP MCB C6	Single pole MCB	Havells	Nos	20			Required	GD0 1		
157	МССВ	CHINT NM8N-125S, Ui = 1000V, Uimp = 8kV	CHINT	Nos	1			Required	GD0 1	<u>Link</u>	



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
158	Screw driver set	Taparia product No. 802 or equivalent	Reputed brand	Nos	4			Required	ETL		
159	Test clip/crocodile clip	Heavy duty, Jaw opening: 15-25 mm, Current rating: 10-20 Amps, connectable to 10 sq.mm wire.	Reputed brand	Nos	40			Required	ETL		
160	Cooling tower de-scaling chemical		Any brand	Ltr	500			Required	GD0 1		
161	Contact Resistance Measurement Kit	Model: CRM 200B+	SCOPE T&M PVT. LTD, India	Nos	1			Required	CU01		
162	Phase Sequence Meter	Model: AC-7	METRAVI, India	Nos	1			Required	CU01		
163	Water Pump set	Power 4.0 Kw, 1 1/4x1 1/4" Pump ~ 50Hz Model: MVC-4/22T2	CRI Pump, India	Nos	1			Required	CU01		
164	Submersible water Pump set along with cable	CRI make 3x4sqmm flat cable Power 10HP 40D T J 5/4" Model: NILE+ CRI4R-3F/113	CRI Pump, India	Nos	1			Required	CU01		
165	Corded Electric Angle Grinder	Model: GWS 800	BOSCH	Nos	1			Required	CU01		
166	Industrial V belt	Oil, heat resistant and antistatics Model: A1484Lp / A57, 121 C	D Flex	Nos	140			Required	CU01		
167	Two Side Sealed Ball Bearings	Alloy Steel Bearing Number: 6205RS	JSB Great Bearings	Nos	280			Required	CU01		
168	Led Flood Light Outdoor Waterproof	Gesto 400W Led Flood Light Outdoor Waterproof - IP66 Led Lights with 120° Wide Beam Aluminium Led Halogen Light,Focus Light for Factory,Garage,Parking (Cool White)- Pack of 1	Reputed Brand	Nos	10			Required	CU01		
169	Step Ladder	Heavy Duty 4+1 Diy Home MX3125	Reputed Brand	Nos	17			Required	CU01		
170	Step Ladder	Heavy Duty 5+1 Diy Home MX3125	Reputed Brand	Nos	3			Required	CU01		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
171	Trolley		Reputed Brand	Nos	3			Required	CU01		
172	Cordless impact wrench	700NM Torque,wrench 1/2", Brushless Motor 21V(37V Max), Double Li-Ion Batteries, Auto Stop Function, Forward/Reverse Rotation, LED Light, Model: Proseries K700NM	KROST	Nos	1			Required	CU01		
173	Hydraulic Lifting Trolley	Product code: A1HY82600	TISCO Engineering, India	Nos	3			Required	CU01		
174	Heater		Reputed Brand	Nos	2			Required	CU01		
175	Timer for Floodlight		Reputed Brand	Nos	13			Required	DC01		
176	Hydraulic trolley	1T	Reputed Brand	Nos	1			Required	DC01		
177	Electric Wrench		Reputed Brand	Nos	1			Required	DC01		
178	Blower		Makita	Nos	6			Required	DC01		
179	Oil pump	Motorised, 1P	Reputed Brand	Nos	1			Required	DP01		
180	Cordless drill	12V	Reputed Brand	Nos	8			Required	SA01		
181	Single phase welding machine		Reputed Brand	Nos	1			Required	SA01		
182	Steel Rod Cutter		Reputed Brand	Nos	1			Required	SA01		
183	Hydualic trolley	1.5T	Reputed Brand	Nos	1			Required	SA01		
184	Heater		Reputed Brand	Nos	1			Required	SA01		
185	Geyser	3L, 2000W, 220-240V, 50Hz	Reputed Brand	Nos	1			Required	SA01		
186	Geyser	20L, 2000W, 220-240V, 50Hz	Reputed Brand	Nos	1			Required	SA01		
187	Cordless drill	12V	Makita	Nos	5			Required	GD0 1		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
188	Chain pulley block	1T, 6m	Reputed Brand	Nos	1			Required	GD0 1		
189	Ring Spanner Set	6 to 32	Taparia/Stanley/To tal	Nos	1			Required	GD0 1		
190	D Spanner Set	6 to 32	Taparia/Stanley/To tal	Nos	1			Required	GD0 1		
191	D and Ring Spanner	34 to 36	Taparia/Stanley/To tal	Nos	2			Required	GD0 1		
192	D and Ring Spanner	38 to 42	Taparia/Stanley/To tal	Nos	2			Required	GD0 1		
193	Digital Torque Wranch	Torque 0-400ft lbs	Milwaukee/DeWA LT	Nos	1			Required	GD0 1		
194	Rubber Mallet Hammer	Head weight: 450 g, Double-faced solid rubber head, Round striking surfaces, Natural hardwood handle	Reputed Brand	Nos	1			Required	GD0 1		
195	Clamp On Earth Tester	Maximum voltage to earth ground: 1000 V, Operating altitude: upto 3000 m(asl), Earth ground loop resistance range: 0.025 ohm - 1500 ohm. Earth ground leakage current measurement range: 0.200 mA - 40 A. (Preferred: Fluke)	Fluke	Nos	2			Required	ETL		
196	21 V cordless drilling machine	21 V cordless, Reverse rotation, No. of speed: 2, Fast charger with spare battery, Weight: <3kg,	Bosch, Makita	Nos	2			Required	ETL		
197	Combination Spanner set	Heavy duty combination spannet set (8mm-32mm) with case.	Reputed Brand	Nos	2			Required	ETL		
198	Bit socket set	Heavy duty bit socket set and socket adapter with case.	Reputed Brand	Nos	2			Required	ETL		
199	Portable work bench	Foldable and portable outdoor working bench, working platform: 8-9 X 6-8 cm; Height: 70 - 80 cm.	Reputed Brand	Nos	3			Required	ETL		
200	Telescopic ladder	Aluminium folding telescopic ladder for both outdoor and indoor use; Dimensio: 45-50 cm X 250 -300 mete; Max capacity: 150 Kg.	Reputed Brand	Nos	3			Required	ETL		



Sl.No	Item	Description	Preferred Brand	UoM	Qty	DDP Rate	DDP Amount	Manufacturer Authorization	Code	Link	Offered Brand
201	Water Tank	150001	Sintex or any reputed brand	Nos	1			Required	GD0 1		

