



༄༧ །འབྲུག་མི་སེར་རྒྱུ་ལོར་གཞི་བཟུང་ཚད།

**DRUK HOLDING & INVESTMENTS LTD.**

**GROUP STANDARD BIDDING DOCUMENT**

---

**GOODS**



Part I: NOTICE INVITING TENDER

**NIT No: BT/Supply and installation of AMF Panel/2024**

1. Bhutan Telecom Ltd. invites eligible bidders to submit your e-bid for the supply and installation of AMF panels
2. Bhutan Telecom Limited would like to inform the interested firms to kindly visit the website [www.tender.bt](http://www.tender.bt) for vendor registration and to submit the proposal online.
3. The user manual for vendor registration and bidding process is available on the website [www.tender.bt](http://www.tender.bt) or else can be downloaded from following links:-User manual for vendor registration-User manual for Bidding process
4. SBD Timeline

|  |   |
|--|---|
| <b>NIT No.</b>   | <b>BT/Supply and installation of AMF panel/2024</b>     |
| <b>Bid Submission &amp; EMD Submission Date &amp; Time</b> | On or before 19 <sup>th</sup> February 2024 (17:00 hrs) |
| <b>Bid Opening Date &amp; Time</b>                         | 20 <sup>th</sup> February 2024 (14:00 hrs)              |
| <b>RFP shall be available at</b>                           | <a href="http://www.tender.bt">www.tender.bt</a>        |

Part II: Terms and Conditions

1. Scope of Supply

- 1.1. The bidder(s) may quote for any or all items as per the technical specification as attached at Annexure -IV

2. Clarification to the bidding document

- 2.1. Further information can be obtained in writing from [procurement@bt.bt/manager.powerandinfra@bt.bt](mailto:procurement@bt.bt/manager.powerandinfra@bt.bt) not later than 16<sup>th</sup> February 2024.

3. Documents comprising bid

- 3.1. The bid must be accompanied by the following document:

- i. Bid Security
- ii. Valid Trade license
- iii. Tax clearance
- iv. Integrity Pact Document
- v. OEM certificate
- vi. Catalogue and Datasheet
- vii. Any other relevant documents as required

4. Bid Price

- 4.1. All prices shall be quoted in BTN/INR. The quoted price shall be CIF, Phuntsholing including taxes, duties and other levies to the final place of delivery, if required.

- 4.2. The final place of delivery of Equipment is Central Stores, Phuntsholing

- 4.3. Each item shall be evaluated and contract awarded separately to the firm(s) offering the lowest evaluated price for each item.

*Or*

- 4.4. The bidder(s) must quote for all the items under this bid if in lot. Price bids will be evaluated for all the items together and contract awarded to the firm offering the lowest evaluated total cost of all the items.

- 4.5. All price quoted shall be on per unit basis and valid for 12 months from the date of bid opening. The selected bidders shall be contacted for additional supply of any in-listed item in the future or repeat order basis for the entire period.

5. Bid Validity

- 5.1. The bid shall be valid for 90 days from the date of submission of the bid. In exceptional circumstances, prior to the expiration of the bid validity period, the Purchaser may solicit the Bidder's consent to an

extension of the bid validity period. The request and responses shall be made in writing. A bid valid for a shorter period shall be considered non-responsive.

## 6. Bid Security

6.1. The bid shall be accompanied by the bid security of **2% of the bid value** in the form of Cash Warrant/ Unconditional Bank Guarantee/ Banker Cheque/ Demand draft in the name of the **Chief Executive Officer, Bhutan Telecom Ltd** issued by the Financial Institution enforceable in any Banks in Bhutan.

- a) The Bid security shall be valid up to 3 months.
- b) The Bid Security is to be submitted as a part of the Bid in a separate sealed envelope and be submitted to Finance & Accounts Division or to our nearest Branch Office within the specified time in SBD timeline and also have to be uploaded in the system.
- c) Any Bid not accompanied by bid security of adequate value and validity shall be rejected by the Purchaser and considered as non-responsive.

6.2. The bid security shall be forfeited in the following cases:

- a) If the Bidder withdraws the bid after Bid opening during the period of Bid validity.
- b) If the Bidder does not accept the correction of the Bid price;
- c) In the case of a successful bidder, if the bidder fails within the specified time limit to sign the Contract or furnish Performance Security.

## 7. Purchaser's Right to Accept Any Bid, and Reject Any or All Bids

7.1. The Purchaser is not bound to accept the lowest bid and reserves the right to accept or reject any or all the bids without assigning any reason whatsoever.

## 8. Quantity Variation

8.1. Depending on the final requirement, at the time of the award of the Contract, the Purchaser may increase or decrease the quantities by twenty five percent (25%) of the indicated quantity.

## 9. Award of Contract

9.1. The Purchaser shall award the Contract to the Bidder whose offer has been determined to be the lowest evaluated Bid. The Purchaser shall issue Notification of Award/ Purchase Order to the successful Bidder. Until a formal Contract is prepared and executed, the Notification of Award/Purchase Order shall constitute a binding Contract.

## 10. Delivery Schedule

10.1. The supply of the **Goods** shall be completed within **two months** from the date of issue of the Purchase Order/ signing of the contract.

10.2. **Services** : Transportation, Installation and commissioning of AMF panel shall be completed within

**one month** from the date of ready of site

11. Performance Security

- 11.1. The Supplier shall be required to furnish Performance Security of 10% of the quoted price in the form of cash warrant, demand draft or unconditional Bank Guarantee in the name of Chief Executive Officer, Bhutan Telecom issued by a financial institution enforceable in any Banks in Bhutan, which shall be furnished upon issuance of notification of the award. Performance Security shall be valid till the end of warranty period and will be returned after the end of warranty period.

12. Liquidated Damage

- 12.1. If the Supplier fails to deliver any or all of the Goods by the date(s) of delivery or fails to perform the Related Services within the period specified in the Contract/ Purchase Order, the Purchaser shall deduct Liquidated Damages at the rate of **0.1%** per day for each day to a maximum of 10% of the total PO value.

13. Payment Terms

- 13.1. **Goods: 100% payment** shall be released on receipt of full quantity of materials and no part payment shall be entertained during the execution of the supply order.
- 13.2. **Services:** 100% payment shall be released after successful completion of Transportation, I&C of AMF panel, UAT and taking over of component. Payment will be made as per site wise completion and receivable of user acceptance test. The UAT needs to be completed within 7 days after completion of the services.
- 13.3. At the time of release of payment, Tax shall be deducted at Source [TDS] from the gross amount of bills as per the Income Tax Act of the Bhutan. The Purchaser shall furnish necessary TDS Certificate to the Bidders, issued by the Department of Revenue & Customs, RGoB.

14. Warranty Period

- 14.1. The Supplier shall provide the warranty for a period of **one year**, for the goods to be supplied and confirm that if any faults are detected within the warranty period in the supplied/installed Goods, the Supplier shall be bound to rectify the fault or replace the Goods as the case may be. The performance security shall be used to cover the cost of supplies not delivered or defective items not replaced or rectified.
- 14.2. Any goods found defective during the warranty period shall be replaced/ repaired by the supplier at his cost. If the supplier fails to rectify and or replace the defective goods, the Purchaser shall do it at the cost of the supplier.

15. Submission of Bid

- 15.1. The Bidder shall submit the Bid Submission Form using the Form in the Annexure I if so required: This form must be completed without any alterations to its format, and no substitutes shall be accepted. All blank spaces shall be filled in with the information requested.
- 15.2. As such a bid in which the Bid Submission Form not duly filled, signed and sealed by the bidder shall be rejected.

16. Termination

- 16.1. The Purchaser may, by written notice, terminate the Purchase Order or Contract in whole or in part at any time for its convenience:
- 16.1.1. If the Supplier fails to perform any other terms and conditions specified with the Purchase Order/ Contract, or exceeds the maximum amount of Liquidated Damages; and
- 16.1.2. If the Supplier fails to perform any other obligation(s) under the Purchase Order / Contract, and if the Supplier does not take any remedial action within a period of **one month** after receipt of a notice of default from the Purchaser specifying the nature of the default(s).

17. Governing Law

- 17.1. The Contract/ Purchase Order shall be governed by and interpreted in accordance with the Laws of Bhutan.

18. Dispute Resolution

- 18.1. Any settlement of dispute or arbitration of matter arising from the contract shall be settled as per the Alternative Dispute Resolution Act of Bhutan 2013 for Bhutanese Supplier and United Nations Commission on International Trade Law [UNCITRAL] Arbitration Rules of 1976 for International Supplier and will be binding for both parties.

Part III: Forms:

**Annexure-I Bid Submission Form**

*[The Bidder shall fill in this form in accordance with the instructions indicated. No alterations to its format shall be permitted and no substitutions shall be accepted.]*

Date : .....*[insert date of Bid submission]*

Tender No.: .....*[insert number ]*.

To : *[insert complete name of the Purchaser]*

We, the undersigned, declare that:

- (a) We have examined and have no reservations to the Bidding Documents, including Addenda number: ..... *[insert the number and date of issue of each addendum]*;
- (b) We offer to supply in conformity with the Bidding Documents and in accordance with the Schedule of Supply the following Goods and Related Services: *[insert a brief description of the Goods and Related Services]*;
- (c) The total price of our Bid, excluding any discounts offered in item is: *[insert the Bid Price in words and figures, indicating the various amounts and their respective currencies]*;
- (d) The discounts offered and the methodologies for their application are:

*Discounts.* If our Bid is accepted, the following discounts shall apply: *[Specify in detail each discount offered and the specific item of the Schedule of Supply to which it applies.]*

*Methodology of Application of the Discounts.* The discounts shall be applied using the following methodology: *[Specify in detail the methodology that shall be used to apply the discounts]*;

- (e) Our Bid shall be valid for a period of *[insert number]* from the date fixed for the Bid submission deadline and it shall remain binding upon us and may be accepted at any time before expiry of that period;
- (f) If our Bid is accepted, we commit to provide a Performance Security in accordance with Clause 15 for the due performance of the Contract;



- (h) We, including any subcontractors or suppliers for any part of the Contract, have nationality from eligible countries, viz: [insert the nationality of the Bidder, including that of all parties that comprise the Bidder if the Bidder is a JV/C, and the nationality each subcontractor and supplier]
- (i) We have no conflict of interest;
- (j) Our firm, its affiliates or subsidiaries - including any subcontractors or suppliers for any part of the contract - has not been declared ineligible by the Purchaser under the laws or official regulations of Bhutan;
- (k) We have read the terms and conditions carefully, understood and agree to comply with all the clauses which are mentioned therein. In case of any breach of any condition on our part, we shall be liable for actions as per terms and conditions of the Contract.
- (l) We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal contract is prepared and executed.
- (m) We understand that you are not bound to accept the lowest evaluated Bid or any other Bid that you may receive.
- n) We accept the Vendor Performance Management System.

Signed: \_\_\_\_\_ [insert signature of person whose name and capacity are shown]

In the capacity of \_\_\_\_\_ [insert legal capacity of person signing the Bid Submission Form]

Name: \_\_\_\_\_ [insert complete name of person signing the Bid Submission Form]

Duly authorized to sign the bid for and on behalf of: \_\_\_\_\_ [insert complete name of Bidder]

Dated on \_\_\_\_\_ day of \_\_\_\_\_ [insert date of signing]



*Annexure II- Performance Security Form*

*[The bank, as requested by the successful Bidder, shall fill in this form in accordance with the instructions indicated] Date: [insert date (as day, month, and year) of Bid submission]*

IFB No. and title: *[insert no. and title of bidding process]*

Bank's Branch or Office: *[insert complete name of Guarantor]*<sup>[L]</sup><sup>[SEP]</sup> **Beneficiary:** *[insert complete name of The company]*<sup>[L]</sup><sup>[SEP]</sup> **PERFORMANCE GUARANTEE No.:** *[insert Performance Guarantee number]*

We have been informed that *[insert complete name of Supplier]* (hereinafter called "the Supplier") has entered into Contract No. *[insert number]* dated *[insert day and month]*, *[insert year]* with you, for the supply of *[description of Goods and related Services]* (hereinafter called "the Contract").

Furthermore, we understand that, according to the conditions of the Contract, a Performance Guarantee is required.

At the request of the Supplier, we hereby irrevocably undertake to pay you any sum(s) not exceeding *[insert amount(s)]*<sup>1</sup> *in figures and words* upon receipt by us of your first demand in writing declaring the Supplier to be in default under the Contract, without cavil or argument, or you needing to prove or to show grounds or reasons for your demand or the sum specified therein.

This Guarantee shall expire no later than the *[insert number]* day of *[insert month]* *[insert year]*,<sup>2</sup> and any demand for payment under it must be received by us at this office on or before that date. We agree to a one-time extension of this Guarantee for a period not to exceed *[six months]* *[one year]*, in response to The company's written request for such extension, such request to be presented to us before the expiry of the Guarantee.

*[signatures of authorized representatives of the bank and the Supplier]*

*Annexure III- Contract Forms*

*[The successful Bidder shall fill in this form in accordance with the instructions indicated]*

THIS CONTRACT AGREEMENT made the *[insert number]* day of *[insert month]*, *[insert year]*,

BETWEEN

1. (1) *[insert complete name of Purchaser]*, a *[insert description of type of legal entity, for example, an agency of the Ministry of .... of the Government of Bhutan, or corporation incorporated under the laws of Bhutan]* and having its principal place of business at *[insert address of Purchaser]* (hereinafter called “The company”), and <sup>[ ]</sup><sub>[SEP]</sub>
2. (2) *[insert name of Supplier]*, a corporation incorporated under the laws of <sup>[ ]</sup><sub>[SEP]</sub>*[insert country of Supplier]* and having its principal place of business at *[insert address of Supplier]* (hereinafter called “the Supplier”). <sup>[ ]</sup><sub>[SEP]</sub> WHEREAS The company invited Bids for certain Goods and ancillary services, viz., *[insert brief description of Goods and Services]* and has accepted a Bid by the Supplier for the supply of those Goods and Services in the sum of *[insert Contract Price in words and figures, expressed in the Contract currency/ies]* (hereinafter called “the Contract Price”). <sup>[ ]</sup><sub>[SEP]</sub> NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to. <sup>[ ]</sup><sub>[SEP]</sub>

The following documents shall constitute the Contract between The company and the Supplier, and each shall be read and construed as an integral part of the Contract, viz.: <sup>[ ]</sup><sub>[SEP]</sub>

- (a) This Contract Agreement; <sup>[ ]</sup><sub>[SEP]</sub>
- (b) The Special Conditions of Contract; <sup>[ ]</sup><sub>[SEP]</sub>
- (c) The General Conditions of Contract; <sup>[ ]</sup><sub>[SEP]</sub>
- (d) Technical Requirements (including Schedule of Supply and Technical Specifications.) <sup>[ ]</sup><sub>[SEP]</sub>
- (e) The Supplier’s Bid and original Price Schedules; <sup>[ ]</sup><sub>[SEP]</sub>
- (f) The company’s Notification of Award of Contract; <sup>[ ]</sup><sub>[SEP]</sub>
- (g) The form of Performance Security; <sup>[ ]</sup><sub>[SEP]</sub>
- (h) The form of Bank Guarantee for Advance Payment; <sup>[ ]</sup><sub>[SEP]</sub>
- (i) *[Insert here any other document(s) forming part of the Contract]* <sup>[ ]</sup><sub>[SEP]</sub>

This Contract shall prevail over all other Contract documents. In the event of any discrepancy or inconsistency within the Contract documents, then the documents shall prevail in the order listed above.

In consideration of the payments to be made by The company to the Supplier as

3. hereinafter mentioned, the Supplier hereby covenants with The company to provide the Goods and Services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The company hereby covenants to pay the Supplier in consideration of the provision of the Goods and Related Services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.
5. IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of Bhutan on the day, month and year indicated above.
6. For and on behalf of The company Signed: *[insert signature]*
7. in the capacity of *[insert title or other appropriate designation]*<sup>[ ]</sup><sub>[SEP]</sub> in the presence of *[insert signature]* *[insert identification of official witness]*
8. For and on behalf of the Supplier<sup>[ ]</sup><sub>[SEP]</sub> Signed: *[insert signature of authorized representative(s) of the Supplier]*
9. in the capacity of *[insert title or other appropriate designation]*<sup>[ ]</sup><sub>[SEP]</sub> in the presence of *[insert signature]* *[insert identification of official witness]*

*Annexure IV- Technical Specifications*

**1.1 Technical Specification of the AMF Panels. The brand should be internationally reputed brand.**

The AMF Panels which can interface with DG-Grid-Battery. Automatic mains failure (AMF) panel should automatically switch to DG in the event of loss or failure of commercial power or with 48V DC system. Further, the AMF panel also should have both Mains and DG contactors either having wide range of coil operating voltage (150 – 250V AC) or should operate on DC voltage (40 – 60V DC)

Besides, the general operating parameters of the generator set are to be monitored using the state-of-the-art technology. It shall have the facility like monitoring remotely at the NOC, metering and controlling of DG set using GPRS/Ethernet/RJ 45/GSM Modem/RS234/RS845, etc. The unit shall be environmentally sealed; solid state and microprocessor based and shall have following minimum features.

**1.2 Applications:**

It should intelligently co- ordinate between available energy sources (grid, battery, DG) for keeping telecom loads in powered mode round the clock. In the event of mains failure or failure of any one phase of incoming mains voltage / frequency beyond the specified limits, the microprocessor controller will check the room temperature and system battery voltage. As long as the room temperature and system voltage is within the limit, the DG will not start and if either the voltage or temperature is above or below the threshold, the DG start signal will be given to start the generator set after a pre-set time. On firing of DG Set and built up of voltage which if within the specified limits of voltage & frequency, the output breaker / contractor shall be energized and power connected. Thus the AMF panel shall continuously monitor the quality of the incoming power and outgoing power of DG Set. Once the Mains power resumes/ stabilized within the set limits, the AMF panel shall trip the DG Set after disconnection of the DG output with the present time. The AMF panel shall have facility to operate the set under test, Auto, Manual mode.

Note: - AMF Panel should be able to operate within very wide input voltage range, i.e. between 150V – 300 V AC (single phase). A bypass switch for AMF panel should also be provided so that it can be used in case of malfunction of AMF panel.

-DG should start automatically when the battery voltage falls below threshold value (46 V DC) and should stop above threshold value (53 V DC) whichever is earlier.

The output of the AMF Panel should provide regulated power to the air conditioners and SMPS Chargers through static voltage regulator. Apart from these features like Auto Mains Failure (AMF), Power plant monitoring, AC and battery management facility provides the system a complete power solution to the user. The system not only provides common analog/digital inputs and outputs, but also does the DG control, fuel level monitoring, Temperature & Humidity Monitoring. Optional features such as Access control, Inventory data management, air-conditioner control, free cooling operations which will be added advantage for optimize the site running

### 1.3 Advanced Digital Controller of AMF Panel (Deep Sea Controller)

#### *Standard Features*

- a) Master switch: Control On/Off
- b) Event Log
- c) Remote two-wire start/stop capability
- d) One-source responsibility for generating system & accessories
- e) Automatic start with programmed cranking cycle
- f) Field software upgrade possibility
- g) Operating temperature: -20°C to 70°C (-4°F to 158°F)
- h) Storage temperature: -20°C to 70°C (-4°F to 158°F)
- i) Humidity: 0-95% condensing
- j) Control Panel
- k) Alternator to control panel connection with copper cable only MCCB/MCB details: with short circuit and overload protection. Output copper cable size (Sq. mm): 1 run/ph. Microprocessor based AMF control panel capable of extending Remote monitoring system GPRS/EDGE/WCDMA/LTE based generator for remote monitoring system.

### 1.4 Controller Information

| LCD Display                   | LCD Display Faults      | Display Warnings     | Optional Accessories      | Power Requirements               |
|-------------------------------|-------------------------|----------------------|---------------------------|----------------------------------|
| Runtime hours                 | High engine temperature | Low battery voltage  | Battery charger 12 V      | 6 to 36 VDC with fuse protection |
| Engine speed                  | Low oil pressure        | High battery voltage | Mains sensing relay       | 250 mA @ 12 VDC                  |
| Power factor KVA <sub>r</sub> | Overspeed / under speed | Low fuel level       | Earth leakage protection  | 125 mA @ 24 VDC                  |
| Current                       | Over and under voltage  | Maintenance alarm    | VAF meter (multifunction) |                                  |

|                          |                          |  |               |  |
|--------------------------|--------------------------|--|---------------|--|
| Voltage                  | Over and under frequency |  | kW-hr display |  |
| Frequency                | E-stop                   |  |               |  |
| Engine temperature       | Auxiliary fault          |  |               |  |
| Engine oil pressure      | Low fuel level           |  |               |  |
| Battery voltage          | Over load current        |  |               |  |
| Kilowatt & kVA           | Phase reversal           |  |               |  |
| Fuel level (digital I/P) |                          |  |               |  |

1.5 Remote Monitoring Features: System should have the following Modbus data on RS485 for Mains & DG Parameter with DG Alarm data for monitoring from Central Server.

| SI No             | Description         | Modbus Address | Range  |
|-------------------|---------------------|----------------|--|
| <b>Parameters</b> |                     |                |  |
| 1                 | Mains Voltage       | 1061           | 0 to 720   |
| 2                 | Mains Frequency     | 1065           | 0 to 70  |
| 3                 | DG Voltage          | 1033           | 0 to 720   |
| 4                 | DG Frequency        | 1031           | 0 to 70  |
| 5                 | DG Power Factor     | 1555           | -1 to +1   |
| 6                 | Load Current        | 1046           | 0 to 99999   |
| 7                 | DG Battery Voltage  | 1029           | 0 to 40  |
| 8                 | DG Fuel Level       | 1027           | 0 to 130   |
| 9                 | Engine Temperature  | 1025           | -50 to 200   |
| 10                | Engine Oil Pressure | 1024           | 0 to 10000   |
| 11                | Engine Speed        | 1030           | 0 to 6000  |
| 12                | DG Run Hour         | 1799           | 0 to 4.29 x 10 <sup>9</sup> sec                    |
| 13                | DG Maintenance Due  | 1837           | -2.14 x 10 <sup>9</sup> to +2.14 x 10 <sup>9</sup> |

| DG Alarms |                         |       |                     |
|-----------|-------------------------|-------|---------------------|
| 1         | Emergency Stop          | 39426 | 0011 0000 0000 0000 |
| 2         | Low Oil Pressure        | 39426 | 0000 0011 0000 0000 |
| 3         | High Engine Temperature | 39426 | 0000 0000 0010 0000 |
| 4         | Engine Under Speed      | 39427 | 0011 0000 0000 0000 |
| 5         | Engine Over Speed       | 39427 | 0000 0011 0000 0000 |
| 6         | DG Low Frequency        | 39427 | 0000 0000 0010 0000 |
| 7         | DG High Frequency       | 39427 | 0000 0000 0000 0010 |
| 8         | DG Low Voltage          | 39428 | 0010 0000 0000 0000 |
| 9         | DG High Voltage         | 39428 | 0000 0010 0000 0000 |
| 10        | DG Low Battery          | 39428 | 0000 0000 0010 0000 |
| 11        | DG High Battery         | 39428 | 0000 0000 0000 0010 |
| 12        | DG Fail to Stop         | 39429 | 0000 0000 0010 0000 |
| 13        | DG Fail to Start        | 39429 | 0000 0010 0000 0000 |
| 14        | DG High Current         | 39431 | 0011 0000 0000 0000 |
| 15        | Low Fuel Level          | 39435 | 00 1 0000 0000      |

Annexure V: Schedule of Rates

| # | Item   | Qty    | Rate | Amt |
|---|--|--------|------|-----|
| 1 | Supply: Auto Mains Failure Panel, 20 kVA, 1ph as per specifications mentioned above                | 8 Sets |      |     |
| 2 | Service: Delivery up to site, Installation, Testing and Commissioning of 20 kVA, 1 Ph AMF Panels   | 8 Sets |      |     |
| 3 | Design and Supply: Auto Mains Failure Panel, 650 kVA, 3 ph   | 1 set  |      |     |
| 4 | Service: Installation, Testing and Commissioning of 650 kVA, 3 Ph AMF Panels                       | 1 set  |      |     |
| 5 | Design and supply of Bypass LT Panel (415V, 800 A) for the LT Panels (1 & 2)                       | 1 Set  |      |     |
| 6 | Installation, testing and commissioning of Bypass LT Panel (415V, 800 A) for the LT Panels (1 & 2) | 1 set  |      |     |
| 7 | Design and supply of AMF Panel (1000 A, 415 V)   | 1 Set  |      |     |

Site Details

| SI | PC          | Location              | Remarks  |
|----|-------------|-----------------------|--|
| 1  | Haa         | Yangthang             | 20 KVA, Transportation and installation needed |
| 2  | Haa         | Damthang              | 20 KVA, Transportation and installation needed |
| 3  | Thimphu     | Begana                | 20 KVA, Transportation and installation needed |
| 4  | Tashigang   | Gongthung             | 20 KVA, Transportation and installation needed |
| 5  | Tashigang   | Dungphu               | 20 KVA, Transportation and installation needed |
| 6  | Nganglam    | Tshenkari             | 20 KVA, Transportation and installation needed |
| 7  | Nganglam    | Nganglam              | 20 KVA, Transportation and installation needed |
| 8  | Pling       | Lhamoizingkha<br>Exge | 20 KVA, Transportation and installation needed |
| 9  | Data Center | Data Center,<br>Pling | 650 KVA, only Installation needed              |



|    |            |              |  |
|----|------------|--------------|--|
| 10 | Operations | NOC, Thimphu | Bypass panel 650 KVA, Transportation and installation needed |
|----|------------|--------------|--|

**Note: Vendor need to attach the site wise transportation charge and installation charge under OTHER DOCUMENT requirement.**